

## SPP 1090: Publications in journals with review

- Amelung, W., Kaiser, K., Kammerer, G., Sauer, G., 2002. Organic C at soil particle surfaces - evidence from X-ray photoelectron spectroscopy and surface abrasion. *Soil Science Society of America Journal* 66, 1526-1530.
- Andert, J., Geissinger, O., Brune, A., 2007. Peptidic soil components are a major dietary resource for the humivorous larvae of *Pachnoda* spp. (Coleoptera: Scarabaeidae). *Journal of Insect Physiology*, in press.
- Bachmann, J., Woche, S.K., Goebel, M.-O., Fischer, W.R., 2001. Contact angle and surface charge of wettable and hydrophobic silt particles. *Revista Ciencia Del Suelo y Nutrition* 1, 26-33.
- Bachmann, J., Woche, S.K., Göbel, M.-O., Kirkham, M.B., Horton, R., 2003. Extended methodology for determining wetting properties of porous media. *Water Resource Research* 39, 1353.
- Bachmann, J., Arye, G., Deurer, M., Woche, S.K., Horton, R., Chen, Y., 2006. Universality of a surface tension - Contact angle relation for hydrophobic soils of different texture. *Journal of Plant Nutrition and Soil Science* 169, 745-753.
- Bachmann, J., Deurer, M., Arye, G., 2007. Modelling water movement in heterogeneous water-repellent soil: 1. Development of a contact angle dependent water retention model. *Vadose Zone Journal* 6, 436-445.
- Bachmann, J., Guggenberger, G., Baumgartl, T., Ellerbrock, R., Fischer, W.R., Goebel, M.-O., Horn, R., Jasinska, E., Kaiser, K., 2008. Scale-dependent physical protection of soil organic matter: Sorption mechanisms, wettability and aggregate stability. *Journal of Plant Nutrition and Soil Science* 171, in press.
- Brodowski, S., Amelung, W., Haumaier, L., Abetz, C., Zech, W., 2005. Morphological and chemical properties of black carbon in physical soil fractions as revealed by scanning electron microscopy and energy-dispersive X-ray spectroscopy. *Geoderma* 128, 116-129.
- Brodowski, S., Rodionov, A., Haumaier, L., Glaser, B., Amelung, W., 2005. Revised black carbon assessment using benzene polycarboxylic acids. *Organic Geochemistry* 36, 1299-1310.
- Brodowski, S., John, B., Flessa, H., Amelung, W., 2006. Aggregate-occluded black carbon in soil. *European Journal of Soil Science* 57, 539-546.
- Brodowski, S., Amelung, W., Haumaier, L., Zech, W., 2007. Black carbon contribution to stable humus in German arable soils. *Geoderma* 139, 220–228.
- Butenschoen, O., Poll, C., Langel, R., Kandeler, E., Marhan, S., Scheu, S., 2007. Endogeic earthworms alter carbon translocation by fungi at the soil-litter interface. *Soil Biology & Biochemistry* 39, 2854-2864.
- Butenschoen, O., Marhan, S., Scheu, S., 2007. Response of soil microorganisms and endogeic earthworms to cutting of grassland plants in a laboratory experiment. *Applied Soil Ecology*, accepted.
- Dreibrodt, S., Kleber, M., Jahn, R., 2002. Das Mineralinventar der Versuchsfläche "Statischer Dauerdüngungsversuch V120, Bad Lauchstädt. *Archiv Acker Pflanze Boden* 48, 227-240.
- Egert, M., Friedrich, M.W., 2003. Formation of pseudo-terminal restriction fragments, a PCR-related bias affecting terminal restriction fragment length polymorphism analysis of microbial community structure. *Applied and Environmental*

- Microbiology 69, 2555-2562.
- Egert, M., Wagner, B., Lemke, T., Brune, A., Friedrich, M.W., 2003. Microbial community structure in midgut and hindgut of the humus-feeding larva of *Pachnoda ephippiata* (Coleoptera: Scarabaeidae). Applied and Environmental Microbiology 69, 6659-6668.
- Egert, M., Marhan, S., Wagner, B., Scheu, S., Friedrich, M.W., 2004. Molecular profiling of 16S rRNA genes reveals diet-related differences of microbial communities in soil, gut, and casts of *Lumbricus terrestris* L. (Oligochaeta: Lumbricidae). FEMS Microbiology Ecology 48, 187-197.
- Egert, M., Friedrich, M.W., 2005. Post-amplification Klenow fragment treatment alleviates PCR bias caused by partially single-stranded amplicons. Journal of Microbiological Methods 61, 69-75.
- Egert, M., Stingl, U., Dyhrberg Bruun, L., Pommerenke, B., Brune, A., Friedrich, M.W., 2005. Microbial community structure in the intestinal tract of phytophagous *Melolontha melolontha* larvae (Coleoptera: Scarabaeidae). Applied and Environmental Microbiology 71, 4556-4566.
- Ekschmitt, K., Liu, M., Vetter, S., Fox, O., Wolters, V., 2005. Strategies used by soil biota to overcome soil organic matter stability - why is dead organic matter left over in the soil? Geoderma 128, 167-176.
- Ekschmitt, K., Kandeler, E., Poll, C., Brune, A., Buscot, F., Friedrich, M., Gleixner, G., Hartmann, A., Kästner, M., Marhan, S., Miltner, A., Scheu, S., Wolters, V., 2008. Soil carbon preservation through habitat constraints and biological limitations on decomposer activity. Journal of Plant Nutrition and Soil Science 171, in press.
- Ellerbrock, R.H., Höhn, A., Gerke, H.H. 2001. FT-IR Studies on soil organic matter from long-term field experiments, In: Rees, R. M., Ball, B. C., Campbell, C. D. Watson, C. A., (Eds.) Sustainable management of soil organic matter. p. 34 - 41. CABI Publishing.
- Ellerbrock, R.H., Gerke, H.H., Bachmann, J., Goebel, M.-O., 2005. Composition of organic matter fractions for explaining wettability of three forest soils. Soil Science Society of America Journal 69, 57-66.
- Ellerbrock, R.H., Kaiser, M., 2005. Comparison of composition and maize derived carbon content in soil organic matter fractions different in solubility originating from two long-term field experiments. Geoderma 128, 28-37.
- Ellerbrock, R.H., Kersebaum, K.-C., Kaiser, M., 2005. Isolierung und Charakterisierung unterschiedlich löslicher Fraktionen organischer Bodensubstanz als eine Möglichkeit C-Pools in C-Umsatz-Modellen zu validieren und weiter zu entwickeln. Archives of Agronomy and Soil Science 51, 209-219.
- Emmerling, C., Schloter, M., Hartmann, A., Kandeler, E., 2002. Functional diversity of soil organisms - a review of recent research activities in Germany. Journal of Plant Nutrition and Soil Science 165, 408-420.
- Engelbrecht, R., Lau, S., Salffner, K., Löhmansröben, H.-G. 2006. Fasergekoppelte NIR-Diodenlaser-Spektrometer zur simultanen und isotopen-aufgelösten Messung von CO und CO<sub>2</sub>: Anwendungen in Plasma-Diagnostik und Bodengasanalyse., In: Anwendungen und Trends in der Optischen Analysenmesstechnik. p. 97 - 114. VDI-Berichte 1959 (ISBN 3-18-091959-0).
- Eusterhues, K., Rumpel, C., Kleber, M., Kögel-Knabner, I., 2003. Stabilisation of soil organic matter by interactions with minerals as revealed by mineral dissolution

- and oxidative degradation. *Organic Geochemistry* 34, 1591-1600.
- Eusterhues, K., Rumpel, C., Kögel-Knabner, I., 2005. Organo-mineral associations in sandy acid forest soils: importance of specific surface area, iron oxides and micropores. *European Journal of Soil Science* 56, 753-763.
- Eusterhues, K., Rumpel, C., Kögel-Knabner, I., 2005. Stabilization of soil organic matter isolated via oxidative degradation. *Organic Geochemistry* 36, 1567-1575.
- Eusterhues, K., Rumpel, C., Kögel-Knabner, I., 2007. Composition and radiocarbon age of HF-resistant soil organic matter in a Podzol and a Cambisol. *Organic Geochemistry* 38, 1356-1372.
- Flessa, H., Ludwig, B., Heil, B., Mehrbach, W., 2000. The origin of soil organic C, dissolved C and respiration in a long-term maize experiment in Halle, Germany, Determined by  $^{13}\text{C}$  natural abundance. *Journal of Plant Nutrition and Soil Science* 163, 157-163.
- Flessa, H., Amelung, W., Helfrich, M., Wiesenberg, G.L.B., Gleixner, G., Brodowski, S., Rethemeyer, J., Kramer, C., Grootes, P.-M., 2008. Storage and stability of organic matter and fossil carbon in a Luvisol and Phaeozem with continuous maize cropping: A synthesis. *Journal of Plant Nutrition and Soil Science* 171, in press.
- Fox, O., Vetter, S., Ekschmitt, K., Wolters, V., 2006. Soil fauna modifies the recalcitrance-persistence relationship of soil carbon pools. *Soil Biology & Biochemistry* 38, 1353-1363.
- Franko, U., Kuka, K., Romanenko, I.A., Romanenkov, V.A., 2007. Validation of the CANDY model with Russian long-term experiments. *Regional Environmental Change* 7, 79-91.
- Friedrich, M.W., Schmitt-Wagner, D., Lueders, T., Brune, A., 2001. Axial differences in community structure of Crenarchaeota and Euryarchaeota in the highly compartmentalized gut of the soil-feeding termite *Cubitermes orthognathus*. *Applied and Environmental Microbiology* 67, 4880-4890.
- Frouz, J., Kristufek, V., Li, X., Santrucková, H., Sustr, V., Brune, A., 2003. Changes in amount of bacteria during gut passage of leaf litter and during coprophagy in three species of Bibionidae (Diptera) larvae. *Folia Microbiologica* 48, 535-542.
- Gleixner, G., Poirier, N., Bol, R., Balesdent, J., 2002. Molecular dynamics of organic matter in a cultivated soil. *Organic Geochemistry* 33, 357-366.
- Gleixner, G., Kramer, C., Hahn, V., Sachse, D. 2005. The effect of biodiversity on carbon storage in soils., In: Scherer-Lorenzen, M., Körner, C.Schulze, E.-D., (Eds.) Forest diversity and function - Temperate and boreal systems, Ecological Studies 176. p. 165-183. Springer Verlag, Heidelberg, Germany.
- Gleixner, G. 2005. Stable isotope composition of soil organic matter, In: Flanagan, L. B., Ehleringer, J. R., Pataki, D. E., (Eds.) Stable isotopes and biosphere-atmosphere interactions - Processes and biological. Physiological Ecology Series. p. 29-46. Elsevier Academic Press, San Diego, USA.
- Goebel, M.-O., Bachmann, J., Woche, S.K., Fischer, W.R., Horton, R., 2004. Water repellency and aggregate size effects on contact angle and surface energy. *Soil Science Society of America Journal* 68, 383-393.
- Goebel, M.-O., Bachmann, J., Woche, S.K., Fischer, W.R., 2005. Soil wettability, aggregate stability, and the decomposition of soil organic matter. *Geoderma* 128, 80-93.
- Goebel, M.-O., Woche, S.K., Bachmann, J., Lamarter, A., Fischer, W.R., 2007.

- Significance of wettability-induced changes in microscopical water distribution for soil organic matter decomposition. *Soil Science Society of America Journal* 71, 1593-1599.
- Grabe, M., Kleber, M., Hartmann, K.-J., Jahn, R., 2003. Preparing a soil carbon inventory of Saxony-Anhalt, Central Germany using GIS and the state soil data base SABO-P. *Journal of Plant Nutrition and Soil Science* 166, 642-648.
- Guggenberger, G., Kaiser, K., 2003. Dissolved organic matter in soil: challenging the paradigm of sorptive preservation. *Geoderma* 113, 293-310.
- Hamer, U., Marschner, B., 2002. Priming effects of sugars, amino acids, organic acids and catechol on the mineralization of lignin and peat. *Journal of Plant Nutrition and Soil Science* 165, 261-268.
- Hamer, U., Marschner, B., Brodowski, S., Amelung, W., 2004. Interactive priming of black carbon and glucose mineralisation. *Organic Geochemistry* 35, 823-830.
- Hamer, U., Marschner, B., 2005. Priming effects in different soil types after addition of fructose, alanine, oxalic acid or catechol. *Soil Biology & Biochemistry* 37, 445-454.
- Hamer, U., Marschner, B., 2005. Priming effects in soils after combined and repeated substrate additions. *Geoderma* 128, 38-51.
- Hammes, K., Schmidt, M.W.I., Currie L.A., Ball W.P., Nguyen, T.H., Loucheouarn, P., Houel, S., Gustafsson, Ö., Elmquist, M., Cornelissen, G., Smernik, R.J., Skjemstad, J.O., Masiello, C.A., Song, J., Peng, P., Mitra, S., Dunn, J.C., Hatcher, P.G., Hockaday, W.C., Smith, D.M., Hartkopf-Fröder, C., Böhmer, A., Lüer, B., Huebert, B.J., Amelung, W., Brodowski, S., Huang, L., Zhang, W., Gschwend, P.M., Flores-Cervantes, D.X., Largeau, C., Rouzaud, J.-N., Rumpel, C., Guggenberger, G., Kaiser, K., Rodionov, A., Gonzalez-Vila, F.J., Gonzalez-Perez, J.A., de la Rosa, J.M., Manning, D.A.C., López-Capél, E., Ding, L., 2006. Comparison of black carbon quantification methods using reference materials from soil, water, sediment and the atmosphere, and implications for the global carbon cycle. *Global Biogeochemical Cycles* 21, Art. No. GB3016.
- Heim, A., Schmidt, M.W.I., 2007. Lignin is preserved in the fine silt fraction of an arable Luvisol. *Organic Geochemistry*, in press.
- Helfrich, M., Ludwig, B., Buurman, P., Flessa, H., 2006. Effect of land use on the composition of soil organic matter in density and aggregate fractions as revealed by solid-state  $^{13}\text{C}$  NMR spectroscopy. *Geoderma* 136, 331-341.
- Helfrich, M., Flessa, H., Mikutta, R., Dreves, A., Ludwig, B., 2007. Comparison of chemical fractionation methods for isolating stable soil organic carbon pools. *European Journal of Soil Science*, in press.
- Hörner, G., Lau, S., Kantor, Z., Löhmansröben, H.-G., 2004. Isotope selective analysis of  $\text{CO}_2$  with tunable diode laser (TDL) spectroscopy in the NIR. *Analyst* 129, 772 - 778.
- Hörner, G., Lau, S., Löhmansröben, H.-G. 2004. NIR-diode laser spectroscopy for isotope-selective sensing of soil-respired carbon dioxide, In: Gao, W., Shaw, D. R., (Eds.) *Remote Sensing and Modeling of Ecosystems for Sustainability*. p. 47 - 54. Proc. SPIE, 5544.
- Jandl, G., Schulten, H.-R., Leinweber, P., 2002. Quantification of long-chain fatty acids in dissolved organic matter and soils. *Journal of Plant Nutrition and Soil Science* 165, 133-139.

- Jandl, G., Leinweber, P., Schulten, H.-R., Eusterhues, K., 2004. The concentrations of fatty acids in organo-mineral particle-size fractions of a Chernozem. European Journal of Soil Science 55, 459-469.
- Jandl, G., Leinweber, P., Schulten, H.-R., Ekschmitt, K., 2005. Contribution of primary organic matter to the fatty acid pool in agricultural soils. Soil Biology & Biochemistry 37, 1033-1041.
- Jandl, G., Leinweber, P., Schulten, H.-R., 2007. Origin and fate of soil lipids in a Phaeozem under rye and maize monoculture in Central Germany. Biology and Fertility of Soils 43, 321-332.
- Jasinska, E., Wetzel, H., Baumgartl, T., Horn, R., 2006. Heterogeneity of physico-chemical properties in structured soils and its consequences. Pedosphere 16, 284-296.
- Jasinska, E., Hallett, P., Horn, R., 2006. Spatial distribution of hydrophobic and hydrophilic compounds and repellency in aggregat. Advances in GeoEcology 38, 467-474.
- Ji, R., Brune, A., 2001. Transformation and mineralization of <sup>14</sup>C-labeled cellulose, peptidoglycan, and protein by the soil-feeding termite *Cubitermes orthognathus*. Biology and Fertility of Soils 33, 166-174.
- Ji, R., Schäffer, A., 2002. Synthesis of <sup>13</sup>C- and <sup>14</sup>C-labelled catechol. Journal of Labelled Compounds and Radiopharmaceuticals 45, 551-558.
- Ji, R., Schäffer, A., 2004. Synthesis of [uniformly <sup>14</sup>C]-labelled 4-hydroxy-benzaldehyde, vanillin and protocatechualdehyde. Journal of Labelled Compounds and Radiopharmaceuticals 47, 209-216.
- Ji, R., Brune, A., 2005. Digestion of peptidic residues in humic substances by an alkali-stable and humic-acid-tolerant proteolytic activity in the gut of soil-feeding termites. Soil Biology & Biochemistry 37, 1648-1655.
- Ji, R., Chen, Z., Corvini, P.F.-X., Kappler, A., Brune, A., Haider, K., Schäffer, A., 2005. Synthesis of [<sup>13</sup>C]- and [<sup>14</sup>C]-labeled phenolic humus and lignin monomers. Chemosphere 60, 1169-1181.
- Ji, R., Brune, A., 2006. Nitrogen mineralization, ammonia accumulation, and emission of gaseous NH<sub>3</sub> by soil-feeding termites. Biogeochemistry 78, 267-283.
- John, B., Ludwid, B., Flessa, H., 2003. Carbon dynamics determined by natural <sup>13</sup>C abundance in microcosm experiments with soils from long-term maize rye monocultures. Soil Biology & Biochemistry 35, 1193-1202.
- John, B., Ludwig, B., Pothoff, M., Flessa, H., 2004. Carbon and nitrogen dynamics after maize harvest between and within maize rows: a microcosm study using <sup>13</sup>C natural abundance. Journal of Plant Nutrition and Soil Science 167, 270-276.
- John, B., Yamashita, T., Ludwig, B., Flessa, H., 2005. Storage of organic carbon in aggregate and density fractions of silty soils under different types of land use. Geoderma 128, 63-79.
- Kahle, M., Kleber, M., Jahn, R., 2002. Predicting carbon content in illitic clay fractions from surface area, cation exchange capacity and dithionite-extractable iron. European Journal of Soil Science 53, 639-644.
- Kahle, M., Kleber, M., Jahn, R., 2002. Carbon storage in loess derived surface soils from Central Germany: Influence of mineral phase parameters. Journal of Plant Nutrition and Soil Science 165, 141-149.
- Kahle, M., Kleber, M., Jahn, R., 2003. Retention of dissolved organic matter by illitic soils and clay fractions: Influence of mineral phase variables. Journal of Plant

- Nutrition and Soil Science 166, 737-741.
- Kahle, M., Kleber, M., Torn, M.S., Jahn, R., 2003. Carbon storage in coarse and fine clay fractions of illitic soils. *Soil Science Society of America Journal* 67, 1732-1739.
- Kahle, M., Kleber, M., Jahn, R., 2004. Retention of dissolved organic matter by phyllosilicate and soil clay fractions in relation to mineral properties. *Organic Geochemistry* 35, 269-276.
- Kaiser, K., Eusterhues, K., Rumpel, C., Guggenberger, G., Kögel-Knabner, I., 2002. Stabilization of organic matter by soil minerals - investigations of density and particle-size fractions from two acid forest soils. *Journal of Plant Nutrition and Soil Science* 165, 451-459.
- Kaiser, K., Guggenberger, G., 2003. Mineral surfaces and soil organic matter. *European Journal of Soil Science* 54, 219-236.
- Kaiser, M., Ellerbrock, R.H., 2005. Functional characterization of soil organic matter fractions different in solubility originating from a long-term field experiment. *Geoderma* 127, 196-206.
- Kaiser, K., Guggenberger, G., 2007. Sorptive stabilization of organic matter by microporous goethite: sorption into small pores vs. surface complexation. *European Journal of Soil Science* 58, 45-59.
- Kaiser, K., Mikutta, R., Guggenberger, G., 2007. Stability of organic matter sorbed to porous ferrihydrite and goethite increases with residence time. *Soil Science Society of America Journal* 71, 711-719.
- Kaiser, K., Guggenberger, G., 2007. Distribution of hydrous aluminium and iron compounds over density fractions depends on organic matter load and ultrasonic dispersion. *Geoderma* 140, 140-146.
- Kaiser, M., Ellerbrock, R.H., Gerke, H.H., 2008. Long-term effects of crop rotation and fertilization on soil organic matter composition. *European Journal of Soil Science*, in press.
- Kalbitz, K., Schmerwitz, J., Schwesig, D., Matzner, E., 2003. Biodegradation of soil-derived dissolved organic matter as related to its properties. *Geoderma* 113, 273-291.
- Kalbitz, K., Schwesig, D., Schmerwitz, J., Kaiser, K., Haumaier, L., Glaser, B., Ellerbrock, R., Leinweber, P., 2003. Changes in properties of soil-derived dissolved organic matter induced by biodegradation. *Soil Biology & Biochemistry* 35, 1129-1142.
- Kalbitz, K., Schwesig, D., Rethemeyer, J., Matzner, E., 2005. Stabilization of dissolved organic matter by sorption to the mineral soil. *Soil Biology & Biochemistry* 37, 1319-1331.
- Kalbitz, K., Kaiser, K., 2008. Contribution of dissolved organic matter to carbon storage in forest mineral soils. *Journal of Soil Science and Plant Nutrition* 171, in press.
- Kappler, A., Brune, A., 2002. Dynamics of redox potential and changes in redox state of iron and humic acids during gut passage in soil-feeding termites (*Cubitermes spp.*). *Soil Biology & Biochemistry* 34, 221-227.
- Kellner, H., Luis, P., Buscot, F., 2007. Diversity of laccase-like multicopper oxidase (LMCO) genes in Morchellaceae: identification of genes potentially involved in extracellular activities related to plant litter decay. *FEMS Microbiology Ecology* 61, 153-163.
- Kellner, H., Jehmlich, N., Benndorf, D., Hoffmann, R., Rühl, M., Hoegger, P.,

- Majcherczyk, A., Kües, U., von Bergen, M., Buscot, F., 2007. Detection, quantification and identification of fungal extracellular laccases using polyclonal antibody and mass spectrometry. *Enzyme Microbial Technology* 41, 694-701.
- Kellner, H., Luis, P., Zimdars, B., Kiesel, B., Buscot, F., 2007. Diversity of bacterial laccase-like multicopper oxidase genes in forest and grassland Cambisol soil samples. *Soil Biology & Biochemistry*, in press.
- Kindler, R., Miltner, A., Richnow, H.-H., Kästner, M., 2006. Fate of gram-negative bacterial biomass in soil - mineralization and contribution to SOM. *Soil Biology & Biochemistry* 38, 2860 - 2870.
- Kittelmann, S., Friedrich, M.W., 2007. Identification of novel perchloroethene-respiring microorganisms in anoxic river sediment by RNA-based stable isotope probing. *Environmental Microbiology* in press.
- Kleber, M., Rößner, J., Chenu, C., Glaser, B., Knicker, H., Jahn, R., 2003. Prehistoric alteration of soil properties in a central German Chernozemic soil. In search of pedologic indicators for prehistoric activity. *Soil Science* 168, 292-306.
- Kleber, M., Mertz, C., Zikeli, S., Knicker, H., Jahn, R., 2004. Changes in surface reactivity and organic matter composition of clay subfractions with duration of fertilizer deprivation. *European Journal of Soil Science* 55, 381-391.
- Kleber, M., Mikutta, R., Torn, M.S., Jahn, R., 2005. Poorly crystalline mineral phases protect organic matter in acid subsoil horizons. *European Journal of Soil Science* 56, 717-725.
- Kleber, M., Sollins, P., Sutton, R., 2007. A conceptual model of organo-mineral interactions in soils: Self-assembly of organic molecular fragments into multilayered structures on mineral surfaces. *Biogeochemistry* 85, 9-24.
- Kögel-Knabner, I., v. Lützow, M., Flessa, H., Guggenberger, G., Marschner, B., Matzner, E., Ekschmitt, K., 2005. Editorial - Mechanisms and regulation of organic matter stabilization in soils. *Geoderma* 128, 1-2.
- Kögel-Knabner, I., Ekschmitt, K., Flessa, H., Guggenberger, G., Matzner, E., Marschner, B., v. Lützow, M., 2008. An integrative approach of organic matter stabilization in temperate soils: linking chemistry, physics and biology. *Journal of Plant Nutrition and Soil Science* 171, in press.
- Kögel-Knabner, I., Guggenberger, G., Kleber, M., Kandeler, E., Kalbitz, K., Scheu, S., Eusterhues, K., Leinweber, P., 2008. Organo-mineral associations in temperate soils: integrating biology, mineralogy and organic matter chemistry. *Journal of Plant Nutrition and Soil Science* 171, in press.
- Kramer, C., Gleixner, G., 2008. Soil organic matter in soil depth profiles: Distinct carbon preferences of microbial groups during carbon transformation. *Soil Biology & Biochemistry* 40, 425-433.
- Krull, E., Sachse, D., Mügler, I., Thiele, A., Gleixner, G., 2006. Compound-specific  $\delta^{13}\text{C}$  and  $d^2\text{H}$  analyses of plant and soil organic matter: A preliminary assessment of the effects of vegetation change on ecosystem hydrology. *Soil Biology & Biochemistry* 38, 3211-3221.
- Kuka, K., Franko, U., Rühlmann, J., 2007. Modelling the impact of pore space distribution on carbon turnover. *Ecological Modelling* 208, 295-306.
- Lamarter, A., Deurer, M., Bachmann, J., Duijnisveld, W.H.M., 2006. Effect of small scale hydrophobicity in a sandy soil on hydraulic conductivity and mobile water content. *Journal of Plant Nutrition and Soil Science* 169, 38-46.
- Lau, S., Salffner, K., Löhmansröben, H.-G. 2006. Isotopic resolution of carbon

- monoxide and carbon dioxide by NIR diode laser spectroscopy, In: Culshaw, B., Mignani, A. G., Bartelt, H. Jaroszewicz, L. R., (Eds.) Optical Sensing II. p. 1 - 6. Proc. SPIE, 6189-24.
- Lemke, T., Stingl, U., Egert, M., Friedrich, M.W., Brune, A., 2003. Physicochemical conditions and microbial activities in the highly alkaline gut of the humus-feeding larva of *Pachnoda ephippiata* (Coleoptera: Scarabaeidae). Applied and Environmental Microbiology 69, 6650-6658.
- Li, X., Brune, A., 2005. Digestion of microbial biomass, structural polysaccharides, and protein by the humivorous larva of *Pachnoda ephippiata* (Coleoptera: Scarabaeidae). Soil Biology & Biochemistry 37, 107-116.
- Li, X., Brune, A., 2005. Selective digestion of the peptide and polysaccharide components of synthetic humic acids by the humivorous larva of *Pachnoda ephippiata* (Coleoptera: Scarabaeidae). Soil Biology & Biochemistry 37, 1476-1483.
- Li, X., Ji, R., Schäffer, A., Brune, A., 2006. Mobilization of soil phosphorus during passage through the gut of larvae of *Pachnoda ephippiata* (Coleoptera: Scarabaeidae). Plant Soil 288, 263-270.
- Li, X., Brune, A., 2007. Transformation and mineralization of soil organic nitrogen by the humivorous larva of *Pachnoda ephippiata* (Coleoptera: Scarabaeidae). Plant and Soil, in press.
- Ludwig, B., John, B., Ellerbrock, R., Kaiser, M., Flessa, H., 2003. Stabilisation of carbon from maize in a sandy soil in a long-term experiment. European Journal of Soil Science 54, 117-126.
- Ludwig, B., Helfrich, M., Flessa, H., 2005. Modelling the long-term stabilization of carbon from maize in a silty soil. Plant and Soil 278, 315-325.
- Ludwig, B., Schulz, E., Merbach, I., Rethemeyer, J., Flessa, H., 2007. Predictive modelling of the C dynamics for eight variants of the long-term static fertilization experiment in Bad Lauchstädt using the Rothamsted Carbon Model. European Journal of Soil Science 58, 1155-1163.
- Ludwig, B., Kuka, K., Franko, U., v. Lützow, M., 2008. Comparison of two quantitative soil organic carbon models with a conceptual model using data from two agricultural long term experiments. Journal of Plant Nutrition and Soil Science 171, in press.
- Lueders, T., Kindler, R., Miltner, A., Friedrich, M.W., Kästner, M., 2006. Identification of bacterial micropredators distinctively active in a soil microbial food web. Applied and Environmental Microbiology 72, 5342-5348.
- Luis, P., Walther, G., Kellner, H., Martin, F., Buscot, F., 2004. Diversity of laccase gene from basidiomycetes in a forest soil. Soil Biology & Biochemistry 36, 1025-1036.
- Luis, P., Kellner, H., Zimdars, B., Langer, U., Martin, F., Buscot, F., 2005. Patchiness and spatial distribution of laccase genes of ectomycorrhizal, saprotrophic and unknown basidiomycetes in the upper horizons of a mixed forest Cambisol. Microbial Ecology 50, 570-579.
- Luis, P., Kellner, H., Martin, F., Buscot, F., 2005. A molecular method to evaluate basidiomycete laccase gene expression in forest soils. Geoderma 128, 18-27.
- Marhan, S., Scheu, S., 2005. Effects of sand and litter availability on organic matter decomposition in soil and in casts of *Lumbricus terrestris* L. Geoderma 128, 155-166.

- Marhan, S., Scheu, S., 2005. The influence of mineral and organic fertilisers on the growth of the endogeic earthworm *Octolasion tyrtaeum* (Savigny). *Pedobiologia* 49, 239-249.
- Marhan, S., Scheu, S., 2006. Mixing of different mineral soil layers by endogeic earthworms affects carbon and nitrogen mineralization. *Biology and Fertility of Soils* 42, 308-314.
- Marhan, S., Langel, R., Kandeler, E., Scheu, S., 2007. Use of stable isotopes ( $^{13}\text{C}$ ) for studying the mobilisation of old soil organic carbon by endogeic earthworms (Lumbricidae). *European Journal of Soil Biology*, in press.
- Marhan, S., Kandeler, E., Scheu, S., 2007. Phospholipid fatty acid profiles and xylanase activity in particle size fractions of forest soil and casts of *Lumbricus terrestris* L. (Oligochaeta, Lumbricidae). *Applied Soil Ecology* 35, 412-422.
- Marschner, B., Brodowski, S., Dreves, A., Gleixner, G., Grootes, P.-M., Hamer, U., Heim, A., Jandl, G., Ji, R., Kaiser, K., Kalbitz, K., Kramer, C., Leinweberg, P., Rethemeyer, J., Schmidt, M.W.I., Schwark, L., Wiesenberg, G.L.B., 2008. How relevant is recalcitrance for the stabilization of organic matter in soils? *Journal of Plant Nutrition and Soil Science* 171, in press.
- Mertz, C., Kleber, M., R., J., 2005. Soil organic matter stabilization pathways in clay sub-fractions from a time series of fertilizer deprivation. *Organic Geochemistry* 36, 1311-1322.
- Mikutta, R., Kleber, M., Jahn, R., 2005. Poorly crystalline minerals protect organic carbon in clay subfractions from acid subsoil horizons. *Geoderma* 128, 106-115.
- Mikutta, R., Kleber, M., Kaiser, K., R. Jahn, R., 2005. Removal of organic matter from soils using hydrogen peroxide, sodium hypochlorite and disodium peroxodisulfate - a review. *Soil Science Society of America Journal* 69, 120-135.
- Mikutta, R., Mikutta, C., 2006. Stabilization of organic matter at micropores (<2 nm) in acid forest subsoils. *Soil Science Society of America Journal* 70, 2049-2056.
- Mikutta, R., Kleber, M., Torn, M.S., Jahn, R., 2006. Stabilisation of organic matter: Association or chemical recalcitrance? *Biogeochemistry* 77, 25-56.
- Mikutta, R., Mikutta, C., Kalbitz, K., Scheel, T., Kaiser, K., Jahn, R., 2007. Biodegradation of forest floor organic matter bound to minerals via different binding mechanisms. *Geochimica et Cosmochimica Acta* 71, 2569-2590.
- Mikutta, R., Mikutta, C., Kalbitz, K., Scheel, T., Kaiser, K., Jahn, R., 2007. Microbial mineralization of forest floor organic matter bound to minerals via different binding mechanisms. *Geochimica et Cosmochimica Acta* 71, 2569-2590.
- Miltner, A., Richnow, H.-H., Kopinke, F.-D., Kästner, M., 2004. Assimilation of  $\text{CO}_2$  by soil microorganisms and transformation into soil organic matter. *Organic Geochemistry* 35, 1015 - 1024.
- Miltner, A., Kopinke, F.-D., Kindler, R., Selesi, D., Hartmann, A., Kästner, M., 2005. Non-photosynthetic  $\text{CO}_2$  fixation by soil microorganisms. *Plant and Soil* 269, 193-203.
- Miltner, A., Richnow, H.-H., Kopinke, F.-D., Kästner, M., 2005. Incorporation of carbon originating from  $\text{CO}_2$  into different compounds of soil microbial biomass and soil organic matter. *Isotopes in Environmental and Health Studies* 41, 135 - 140.
- Neff, J.C., Townsend, A.R., Gleixner, G., Lehman, S., Turnbull, J., Bowman, W.D., 2002. Nitrogen additions accelerate soil carbon turnover. *Nature* 419, 915-917.
- Ohm, H., Hamer, U., Marschner, B., 2007. Priming effects in soil size fractions of a podzol Bs horizon after addition of fructose and alanine. *Journal of Plant Nutrition*

and Soil Science 170, 551-559.

- Poerschmann, J., Parsi, Z., Górecki, T., Augustin, J., 2005. Characterization of non-discriminating tetramethylammonium hydroxide-induced thermochemolysis–capillary gas chromatography–mass spectrometry as a method for profiling fatty acids in bacterial biomasses. *Journal of Chromatography* 071, 99-109.
- Poerschmann, J., Gathmann, A., Augustin, J., Langer, U., Górecki, T., 2005. Molecular composition of leaves and stems of genetically modified Bt and near-isogenic non-Bt maize — characterization of lignin patterns. *Journal of Environmental Quality* 34:, 1508-1518.
- Poll, C., Thiede, A., Wermbter, N., Sessitsch, A., Kandeler, E., 2003. Micro-scale distribution of microorganisms and microbial enzyme activities in a soil with long-term organic amendment. *European Journal of Soil Science* 54, 715-724.
- Poll, C., Ingwersen, J., Stemmer, M., Gerzabek, M.H., Kandeler, E., 2006. Mechanisms of solute transport affect small-scale abundance and function of soil microorganisms in the detritusphere. *European Journal of Soil Science* 57, 583-595.
- Poll, C., Marhan, S., Ingwersen, J., Kandeler, E., 2007. Dynamics of litter carbon turnover and microbial abundance in a rye detritusphere. *Soil Biology & Biochemistry*, in press.
- Potthoff, M., Loftfield, N., Buegger, F., Wick, B., John, B., Joergensen, R.G., Flessa, H., 2003. The determination of  $\delta^{13}\text{C}$  in soil microbial biomass using fumigation-extraction. *Soil Biology & Biochemistry* 35, 947-954.
- Puhlmann, M., Kuka, K., Franko, U., 2006. Comparison of methods for the estimation of inert carbon suitable for initialisation of the CANDY model. *Nutrient Cycling in Agroecosystems* 74, 295-304.
- Rethemeyer, J., Wiesenberg, G.L.B., Schwark, L., Kramer, C., Gleixner, G., Andersen, N., Nadeau, M.J., Grootes, P.M., 2004. Complexity of soil organic matter: AMS  $^{14}\text{C}$  analysis of soil lipid fractions and individual compounds. *Radiocarbon* 64, 465-473.
- Rethemeyer, J., Bruhn, F., Kramer, C., Gleixner, G., Anderson, N., Grootes, P.M., 2004. Age heterogeneity of soil organic matter. *Nuclear Instruments and Methods in Physical Research B* 223-224, 521-527.
- Rethemeyer, J., Wiesenberg, G.L.B., Schwark, L., Kramer, C., Gleixner, G., Andersen, N., Nadeau, M.J., Grootes, P.M., 2004. Complexity of soil organic matter: AMS  $^{14}\text{C}$  analysis of soil lipid fractions and individual compounds. *Radiocarbon* 64, 465-473.
- Rethemeyer, J., Kramer, C., Gleixner, G., John, B., Yamashita, T., Flessa, H., Andersen, N., Nadeau, M.J., Grootes, P.M., 2005. Transformation of organic matter in agricultural soils: radiocarbon concentration versus soil depth. *Geoderma* 128, 94-105.
- Rethemeyer, J., Grootes, P.M., Brodowski, S., Ludwig, B., 2007. Evaluation of soil  $^{14}\text{C}$  data for estimating inert organic matter in the RothC model. *Radiocarbon*, in press.
- Rumpel, C., Kögel-Knabner, I., Bruhn, F., 2002. Vertical distribution, age, and chemical composition of organic carbon in two forest soils of different pedogenesis. *Organic Geochemistry* 33, 1131-1142.
- Rumpel, C., Seraphin, A., Goebel, M.-O., Wiesenberg, G., Gonzales-Vila, F., Bachmann, J., Schwark, L., Michaelis, W., Mariotti, A., Kögel-Knabner, I., 2004.

- Organic matter in B and C horizons of an acid forest soil characterised by isotopic measurements, base hydrolysis, contact angle and pyrolysis. *Journal of Plant Nutrition and Soil Science* 167, 685-692.
- Rumpel, C., Seraphin, A., Goebel, M.-O., Wiesenber, G., Gonzales-Vila, F., Bachmann, J., Schwark, L., Michaelis, W., Mariotti, A., Kögel-Knabner, I., 2004. Alkyl C and hydrophobicity in B and C horizons of an acid forest soil. *Journal of Plant Nutrition and Soil Science* 167, 685-692.
- Rumpel, C., Eusterhues, K., Kögel-Knabner, I., 2004. Location and chemical composition of stabilized organic carbon in topsoil and subsoil horizons of two acid forest soils. *Soil Biology & Biochemistry* 36, 177-190.
- Rumpel, C., Seraphin, A., Dignac, M.-F., Michaelis, W., Eusterhues, K., Kögel-Knabner, I., 2005. Effect of base hydrolysis on the chemical composition of organic matter of an acid forest soil. *Organic Geochemistry* 36, 239-249.
- Rumpel, C., Rabia, N., Derenne, S., Quenea, K., Eusterhues, K., Kögel-Knabner, I., Mariotti, A., 2006. Alterations of soil organic matter following treatment with 10% hydrofluoric acid (HF). *Organic Geochemistry* 37, 1437-1451.
- Schael, F., Reich, O., Engelhard, S., 2002. Spectroscopy of heterogeneous media and applications for environmental and bioprocess monitoring. *International Journal of Photoenergy* 4, 21 - 26.
- Scheel, T., Dörfle, C., Kalbitz, K., 2007. Precipitation of dissolved organic matter by aluminium stabilizes carbon in acidic forest soils. *Soil Science Society of America Journal* 71, 64-74.
- Scheel, T., Pritsch, K., Schloter, M., Kalbitz, K., 2008. Precipitation of enzymes and organic matter by aluminium - impacts on carbon mineralization. *Journal of Plant Nutrition and Soil Science*, accepted.
- Schmid, M., Selesi, D., Rothbäcker, M., Schloter, M., Lee, N., Kandeler, E., Hartmann, A. 2006. Localization and visualization of microbial community structure and activity in soil microhabitats, In: König, H. Varma, A., (Eds.) *Soil Biology*, Volume 6. *Intestinal Microorganisms of Soil Invertebrates.*, p. 439-461. Springer-Verlag, New York.
- Schmidt, L., Warnstorff, K., Dörfel, H., Leinweber, P., Lange, H., Merbach, W., 2000. The influence of fertilization and rotation on soil organic matter and plant yields in the long-term Eternal Rye trial in Halle/Saale, Germany. *Journal of Plant Nutrition and Soil Science* 163, 639-648.
- Schmidt, M.W.I., Gleixner, G., 2005. Carbon and nitrogen isotope composition of bulk soil, particle-size fractions and organic material after treatment with hydrofluoric acid. *European Journal of Soil Science* 56, 407-416.
- Schmitt-Wagner, D., Friedrich, M.W., Wagner, B., Brune, A., 2003. Phylogenetic diversity, abundance, and axial distribution of bacteria in the intestinal tract of two soil-feeding termites (*Cubitermes* spp.). *Applied and Environmental Microbiology* 69, 6007-6017.
- Schmitt-Wagner, D., Friedrich, M.W., Wagner, B., Brune, A., 2003. Axial dynamics, stability, and inter-species similarity of bacterial community structure in the highly compartmentalized gut of soil-feeding termites (*Cubitermes* spp.). *Applied and Environmental Microbiology* 69, 6018-6024.
- Schulze, W.X., Gleixner, G., Kaiser, K., Guggenberger, G., Mann, M., Schulze, E.-D., 2005. A proteomic fingerprint of dissolved organic carbon and of soil particles. *Oecologia* 142, 335-343.

- Schwersig, D., Kalbitz, K., Matzner, E., 2003. Effects of aluminium on the mineralization of dissolved organic carbon derived from forest floors. European Journal of Soil Science 54, 311-322.
- Schwersig, D., Kalbitz, K., Matzner, E., 2003. Mineralization of dissolved organic carbon in mineral soil solution of two forest soils. Journal of Plant Nutrition and Soil Science 166, 585-593.
- Selesi, D., Schmid, M., Hartmann, A., 2005. Diversity of "green-like" and "red-like" ribulose-1,5-bisphosphate carboxylase/oxygenase large subunit genes (*cbbL*) in differently managed agricultural soils. Applied and Environmental Microbiology 71, 175-177.
- Selesi, D., Pattis, I., Schmid, M., Kandeler, E., Hartmann, A., 2007. Quantification of bacterial RubisCO genes in soils by *cbbL* targeted real-time PCR. Journal of Microbiological Methods 69, 497-503.
- Siregar, A., Kleber, M., Mikutta, R., Jahn, R., 2005. Sodium hypochlorite oxidation reduces soil organic matter concentrations without affecting inorganic soil constituents. European Journal of Soil Science 56, 481-490.
- Stein, S., Selesi, D., Schilling, R., Pattis, I., Schmid, M., Hartmann, A., 2005. Microbial activity and bacterial composition of H<sub>2</sub>-treated soils with net CO<sub>2</sub> fixation. Soil Biology & Biochemistry 37, 1938-1945.
- Steinbeiss, S., Schmidt, C.M., Heide, K., Gleixner, G., 2006. <sup>13</sup>C values of pyrolysis products from cellulose and lignin represent the isotope content of their precursors. Journal of Analytical and Applied Pyrolysis 75, 19-26.
- Steinhof, A., Adamiec, G., Gleixner, G., van Klinken, G.J., Wagner, T., 2004. The new C-14 analysis laboratory in Jena, Germany. Radiocarbon 46, 51-58.
- Urbanek, E., Horn, R., 2006. Changes in organic matter, bulk density and tensile strength of aggregates after percolation in soils under conservation and conventional tillage. International Agrophysics 20, 245-254.
- Urbanek, E., Hallett, P., Feeney, D., Horn, R., 2007. Water repellency and distribution of hydrophilic and hydrophobic compounds in soil aggregates from different tillage systems. Geoderma 140, 147-155.
- v. Lützow, M., Kögel-Knabner, I., Ekschmitt, K., Matzner, E., Guggenberger, G., Marschner, B., Flessa, H., 2006. Stabilization of organic matter in temperate soils: Mechanisms and their relevance under different soil conditions - a review. European Journal of Soil Science 57, 426-445.
- v. Lützow, M., Kögel-Knabner, I., Ekschmitt, K., Flessa, H., Guggenberger, G., Matzner, E., Marschner, B., 2007. SOM fractionation methods: Relevance to functional pools and to stabilization mechanisms - a review. Soil Biology & Biochemistry 39, 2183-2207.
- v. Lützow, M., Kögel-Knabner, I., Ludwig, B., Matzner, E., Flessa, H., Ekschmitt, K., Guggenberger, G., Marschner, B., Kalbitz, K., 2008. Stabilization mechanisms of organic matter in four temperate soils: Development and application of a conceptual model. Journal of Plant Nutrition and Soil Science 171, in press.
- Vetter, S., Fox, O., Ekschmitt, K., Wolters, V., 2004. Limitations of faunal effects on soil carbon flow: density dependence, biotic regulation and mutual inhibition. Soil Biology & Biochemistry 36, 387-397.
- Vinken, R., Schäffer, A., Ji, R., 2005. Abiotic association of soil-borne monomeric phenols with humic substances. Organic Geochemistry 36, 583-593.
- Wang, Y., Stingl, U., Anton-Erxleben, F., Geisler, S., Brune, A., Zimmer, M., 2004.

- 'Candidatus Hepatoplasma crinochetorum' gen. nov., sp. nov., a new, stalk-forming lineage of Mollicutes colonizing the midgut glands of a terrestrial isopod. *Applied and Environmental Microbiology* 70, 6166-6172.
- Wang, Y., Stingl, U., Anton-Erxleben, F., Zimmer, M., Brune, A., 2004. 'Candidatus Hepatincola porcellionum' gen. nov., sp. nov., a new, stalk-forming lineage of Rickettsiales colonizing the midgut glands of a terrestrial isopod. *Archives of Microbiology* 181, 299-304.
- Wang, Y., Brune, A., Zimmer, M., 2007. Bacterial symbionts in the hepatopancreas of isopods: diversity and environmental transmission. *FEMS Microbiology Ecology* 61, 141-152.
- Wiesenberg, G.L.B., Schwarzbauer, J., Schmidt, M.W.I., Schwark, L., 2004. Source and turnover of organic matter in agricultural soils derived from n-alkane/n-carboxylic acid compositions and C-isotope signatures. *Organic Geochemistry* 35, 1371-1393.
- Wiesenberg, G.L.B., Schmidt, M.W.I., Schwark, L., 2004. Soil lipid fractionation for compound specific analyses - A rapid, highly reproducible procedure using automated extraction and separation procedures. *European Journal of Soil Science* 55, 349-356.
- Wiesenberg, G.L.B., Schwark, L., Schmidt, M.W.I., 2004. Improved automated extraction and separation procedure for soil lipid analyses. *European Journal of Soil Science* 55, 349-356.
- Wiesenberg, G.L.B., Schwark, L., 2006. Carboxylic acid distribution of temperate crop plants. *Organic Geochemistry* 37, 1973-1982.
- Wiesenberg, G.L.B., Schwark, L., Schmidt, M.W.I., 2006. Extractable lipids and colour in particle-size separates and bulk arable soils. *European Journal of Soil Science* 57, 634-643.
- Wiesenberg, G.L.B., Schmidt, M.W.I., Schwark, L., 2007. Plant and soil lipid modifications under elevated atmospheric CO<sub>2</sub> conditions: I. Lipid distribution patterns. *Organic Geochemistry*, in press.
- Wiesenberg, G.L.B., Schwarzbauer, J., Schmidt, M.W.I., Schwark, L., 2008. Plant and soil lipid modifications under elevated atmospheric CO<sub>2</sub> conditions: II. Stable carbon isotopic values ( $\delta^{13}\text{C}$ ) and turnover. *Organic Geochemistry*, accepted.
- Woche, S.K., Goebel, M.-O., Kirkham, M.B., Horton, R., Van der Ploeg, R.R., Bachmann, J., 2005. Contact angle of soils as affected by depth, texture, and land management. *European Journal of Soil Science* 56, 239-251.
- Yamashita, T., Flessa, H., John, B., Helfrich, M., Ludwig, B., 2006. Organic matter in density fractions of water-stable aggregates in silty soils: Effect of land use. *Soil Biology & Biochemistry* 38, 3222-3234.
- Zhang, H., Brune, A., 2004. Characterization and partial purification of proteinases from the highly alkaline midgut of the humivorous larvae of *Pachnoda ephippiata* (Coleoptera: Scarabaeidae). *Soil Biology & Biochemistry* 36, 435-442.
- Zimmer, M., Brune, A., 2005. Journal of Comparative Physiology B: Biochemical , Systematic and Envriornmental PhysiologyPhysiological properties of the gut lumen of terrestrial isopods (Isopoda: Oniscidea) adaptive to digesting lignocellulose? *Journal of Comparative Physiology B: Biochemical, Systematic and Envriornmental Physiology* 175, 275-283.

## SPP 1090: Publications submitted and in preparation

- Augustin, J., Remus, R., Pörschmann, J., Plugge, J., 2008. Testing of an improved  $^{14}\text{C}$  pulse labelling approach for studying belowground assimilate C dynamics of maize and rye in pot and field experiments. *Soil Biology & Biochemistry*, submitted.
- Augustin, J., Remus, R., Merbach, W., Pörschmann, J., 2008. Comparison of approaches for quantifying dynamics and amount of root debris under field conditions. *Biology and Fertility of Soils*, submitted.
- Brodowski, S., Amelung, W., Haumaier, L., Grootes, P.S., Rethemeyer, J., Zech, W., 2008. Impact of human activities on black carbon in the soils of the long-term field trial in Halle (Saale), submitted.
- Dreves, A., Andersen, N., Grootes, P., Nadeau, M., Garbe-Schönberg, C.-D., 2008. Colloidal matter in water extracts from forest soils. *Environmental Chemistry*, submitted.
- Dreves, A., Habermann, J., Helfrich, M., Grootes, P., Nadeau, M.J., Andersen, N., Ellerbrock, R.H., 2008. Factors influencing C and  $^{14}\text{C}$  content of water extracted soil organic matter: Possible new protocol for cold water extracts. *Radiocarbon*, submitted.
- Eusterhues, K., Wagner, F.E., Häusler E., Hanzlik, M., Knicker, H., Kögel-Knabner, I., Schwertmann, U., 2008. Properties of ferrihydrite-organic matter coprecipitates, in prep.
- Guggenberger, K., Kaiser, K., Mikutta, R., Scheel, T., Kalbitz, K., 2008. Destabilization mechanisms of mineral-associated organic matter, in prep.
- Helfrich, M., Flessa, H., Joergensen, R., Potthoff, M., Ludwig, B., 2008. Effect of litter quality and soil microbial community on macroaggregate dynamics and associated partitioning of litter carbon and nitrogen. *Soil Biology & Biochemistry*, submitted.
- Helfrich, M., Flessa, H., Ludwig, B., 2008. Can thermal oxidation at different temperatures isolate soil organic carbon fractions with different turnover? *Journal of Plant Nutrition and Soil Science*, submitted.
- Helfrich, M., Flessa, H., Mikutta, R., Dreves, A., Ludwig, B., 2008. Are chemical fractionation methods able to isolate stable soil organic carbon pools? *Soil Biology & Biochemistry*, submitted.
- Ingwersen, J., Poll, C., Streck, T., Kandeler, E., 2008. Micro-scale modelling of carbon turnover driven by microbial succession at a biogeochemical interface. *Soil Biology & Biochemistry*, submitted.
- Kaiser, K., Mikutta, R., Guggenberger, G., 2008. Small mineral pores ( $\varnothing < 2 \text{ nm}$ ) and the stabilisation of soil organic matter, in prep.
- Kaiser, K., Guggenberger, G., 2008. Mineral-bound organic matter in soil of different genesis, in prep.
- Kaiser, K., Guggenberger, G., Schulze, E.-D., 2008. Organic debris and mineral-bound organic matter in acidic forest soils - radiocarbon age, in prep.
- Kindler, R., Miltner, A., Thullner, M., Richnow, H.-H., Kästner, M., 2008. Fate of microbial biomass-derived fatty acids in soil and their contribution to soil organic matter. *Organic Geochemistry*, submitted.
- Leinweber, P., Jandl, G., Baum, C., Kandeler, E., Eckhardt, K.-U., 2008. The chemical

composition and stability explain soil organic matter turnover and enzyme activities in aerobic incubation experiments. *Soil Biology & Biochemistry*, submitted.

Poll, C., Brune, T., Begerow, D., Kandeler, E., 2008. Small-scale diversity and succession of fungi in the detritusphere of rye residues, in prep.

Remus, R., Augustin, J., Pörschmann, J., Merbach, W., Plugge, J., 2008. Belowground assimilate C dynamics, distribution, and budget during the ontogenesis of rye under field conditions. *Plant and Soil*, submitted.

Rethemeyer, J., John, B., Flessa, H., Andersen, N., Grootes, P.M., 2008. A double carbon isotope tracer approach to quantifying carbon turnover in soils containing carbon from fossil fuels. *Radiocarbon*, submitted.

Wiesenberg, G.L.B., Schneckenberger, K., Kuzyakov, Y., Schwark, L., 2008.  $^{13}\text{C}$  pulse labelling has no effect on plant lipid composition. *Biogeochemistry*, submitted.

Wiesenberg, G.L.B., Schneckenberger, K., Kuzyakov, Y., Schwark, L., 2008. Short- and medium-term development of plant and soil fatty acid composition during a laboratory experiment on Miscanthus. *Biogeochemistry*, submitted.